



HARRISSTEELS

Quality at any length




Width (mm)		Thickness (mm)	Kg/m	Standard Length (mm)
10	x	3	0.24	4 - 4.3
13	x	3	0.31	4 - 4.3
13	x	5	0.51	4 - 4.3
13	x	6	0.61	4 - 4.3
16	x	3	0.38	4 - 4.3
16	x	5	0.63	4 - 4.3
20	x	3	0.47	4 - 4.3 & 6 - 6.3
20	x	3	0.47	6 - 6.3
20	x	6	0.94	6 - 6.3
20	x	8	1.26	6 - 6.3
20	x	10	1.57	6 - 6.3
20	x	12	1.88	6 - 6.3
25	x	3	0.59	4 - 4.3 & 6 - 6.3
25	x	4	0.79	6 - 6.3
25	x	5	0.98	6 - 6.3
25	x	6	1.18	6 - 6.3
25	x	8	1.57	6 - 6.3
25	x	10	1.96	6 - 6.3
25	x	12	2.36	6 - 6.3
30	x	3	0.71	4 - 4.3 & 6 - 6.3
30	x	5	1.18	6 - 6.3
30	x	6	1.41	6 - 6.3
30	x	8	1.88	6 - 6.3
30	x	10	2.36	6 - 6.3
30	x	12	2.83	6 - 6.3
30	x	15	3.53	6 - 6.3
30	x	20	4.71	6 - 6.3
35	x	5	1.37	6 - 6.3
35	x	6	1.65	6 - 6.3
35	x	8	2.20	6 - 6.3
35	x	10	2.75	6 - 6.3
40	x	3	0.94	4 - 4.3 & 6 - 6.3
40	x	4	1.26	6 - 6.3
40	x	5	1.57	6 - 6.3
40	x	6	1.88	6 - 6.3
40	x	8	2.51	6 - 6.3
40	x	10	3.14	6 - 6.3
40	x	12	3.77	6 - 6.3
40	x	15	4.71	6 - 6.3
40	x	20	6.28	6 - 6.3
40	x	25	7.85	6 - 6.3
45	x	5	1.77	6 - 6.3
45	x	6	2.12	6 - 6.3
45	x	8	2.83	6 - 6.3
45	x	10	3.53	6 - 6.3
45	x	12	4.24	6 - 6.3




HARRISSTEELS

Quality at any length




Width (mm)		Thickness (mm)	Kg/m	Standard Length (mm)
50	x	3	1.18	4 - 4.3 & 6 - 6.3
50	x	4	1.57	6 - 6.3
50	x	5	1.96	6 - 6.3
50	x	6	2.36	6 - 6.3
50	x	8	3.14	6 - 6.3
50	x	10	3.93	6 - 6.3
50	x	12	4.71	6 - 6.3
50	x	15	5.89	6 - 6.3
50	x	20	7.85	6 - 6.3
50	x	25	9.81	6 - 6.3
50	x	30	11.78	6 - 6.3
60	x	3	1.41	4 - 4.3
60	x	5	2.36	6 - 6.3
60	x	6	2.83	6 - 6.3
60	x	8	3.77	6 - 6.3
60	x	10	4.71	6 - 6.3
60	x	12	5.65	6 - 6.3
60	x	15	7.07	6 - 6.3
60	x	20	9.42	6 - 6.3
60	x	25	11.78	6 - 6.3
65	x	3	1.53	4 - 4.3
65	x	5	2.55	6 - 6.3
65	x	6	3.06	6 - 6.3
65	x	8	4.08	6 - 6.3
65	x	10	5.10	6 - 6.3
65	x	12	6.12	6 - 6.3
65	x	15	7.65	6 - 6.3
65	x	20	10.21	6 - 6.3
65	x	25	12.76	6 - 6.3
70	x	3	1.65	4 - 4.3
70	x	5	2.75	6 - 6.3
70	x	6	3.30	6 - 6.3
70	x	8	4.40	6 - 6.3
70	x	10	5.50	6 - 6.3
70	x	12	6.59	6 - 6.3
70	x	15	8.24	6 - 6.3
70	x	20	10.99	6 - 6.3
80	x	3	1.88	6 - 6.3
80	x	5	3.14	6 - 6.3
80	x	6	3.77	6 - 6.3
80	x	8	5.02	6 - 6.3
80	x	10	6.28	6 - 6.3
80	x	12	7.54	6 - 6.3
80	x	15	9.42	6 - 6.3
80	x	20	12.56	6 - 6.3
80	x	25	15.70	6 - 6.3




HARRISSTEELS

Quality at any length




Width (mm)		Thickness (mm)	Kg/m	Standard Length (mm)
90	x	5	3.53	6 - 6.3
90	x	6	4.24	6 - 6.3
90	x	8	5.65	6 - 6.3
90	x	10	7.07	6 - 6.3
90	x	12	8.48	6 - 6.3
90	x	15	10.60	6 - 6.3
90	x	20	14.13	6 - 6.3
90	x	25	17.66	6 - 6.3
100	x	3	2.36	4 - 4.3
100	x	5	3.93	6 - 6.3
100	x	6	4.71	6 - 6.3
100	x	8	6.28	6 - 6.3
100	x	10	7.85	6 - 6.3
100	x	12	9.42	6 - 6.3
100	x	15	11.78	6 - 6.3
100	x	20	15.70	6 - 6.3
100	x	25	19.63	6 - 6.3
100	x	30	23.55	6 - 6.3
100	x	50	39.25	6 - 6.3
110	x	6	5.18	6 - 6.3
110	x	8	6.91	6 - 6.3
110	x	10	8.64	6 - 6.3
110	x	12	10.36	6 - 6.3
110	x	15	12.95	6 - 6.3
120	x	6	5.65	6 - 6.3
120	x	8	7.54	6 - 6.3
120	x	10	9.42	6 - 6.3
120	x	12	11.30	6 - 6.3
120	x	15	14.13	6 - 6.3
120	x	20	18.84	6 - 6.3
120	x	25	23.55	6 - 6.3
130	x	5	5.10	6 - 6.3
130	x	6	6.12	6 - 6.3
130	x	8	8.16	6 - 6.3
130	x	10	10.21	6 - 6.3
130	x	12	12.25	6 - 6.3
130	x	15	15.31	6 - 6.3
130	x	20	20.41	6 - 6.3
130	x	25	25.51	6 - 6.3
140	x	6	6.59	6 - 6.3
140	x	8	8.79	6 - 6.3
140	x	10	10.99	6 - 6.3
140	x	12	13.19	6 - 6.3
140	x	15	16.49	6 - 6.3
140	x	20	21.98	6 - 6.3
140	x	25	27.48	6 - 6.3




HARRISSTEELS

Quality at any length




Width (mm)		Thickness (mm)	Kg/m	Standard Length (mm)
150	x	5	5.89	6 - 6.3
150	x	6	7.07	6 - 6.3
150	x	8	9.42	6 - 6.3
150	x	10	11.78	6 - 6.3
150	x	12	14.13	6 - 6.3
150	x	15	17.66	6 - 6.3
150	x	20	23.55	6 - 6.3
150	x	25	29.44	6 - 6.3
150	x	30	35.33	6 - 6.3
160	x	6	7.54	6 - 6.3
160	x	8	10.05	6 - 6.3
160	x	10	12.56	6 - 6.3
160	x	12	15.07	6 - 6.3
180	x	5	7.07	6 - 6.3
180	x	6	8.48	6 - 6.3
180	x	8	11.30	6 - 6.3
180	x	10	14.13	6 - 6.3
180	x	12	16.96	6 - 6.3
180	x	15	21.20	6 - 6.3
180	x	20	28.26	6 - 6.3
200	x	5	7.85	6 - 6.3
200	x	6	9.42	6 - 6.3
200	x	8	12.56	6 - 6.3
200	x	10	15.70	6 - 6.3
200	x	12	18.84	6 - 6.3
200	x	15	23.55	6 - 6.3
200	x	20	31.40	6 - 6.3
200	x	25	39.25	6 - 6.3
220	x	8	13.82	6 - 6.3
220	x	10	17.27	6 - 6.3
220	x	12	20.72	6 - 6.3
250	x	10	19.63	6 - 6.3
250	x	12	23.55	6 - 6.3
250	x	15	29.44	6 - 6.3
250	x	20	39.25	6 - 6.3
250	x	25	49.06	6 - 6.3
300	x	8	18.84	6 - 6.3
300	x	10	23.55	6 - 6.3
300	x	12	28.26	6 - 6.3
300	x	15	35.33	6 - 6.3
300	x	20	47.10	6 - 6.3
300	x	25	58.88	6 - 6.3
350	x	10	27.48	6 - 6.3
350	x	12	32.97	6 - 6.3
350	x	15	41.21	6 - 6.3
350	x	20	54.95	6 - 6.3



HARRISSTEELS


Quality at any length



Width (mm)		Thickness (mm)	Kg/m	Standard Length (mm)
400	x	10	31.40	6 - 6.3
400	x	12	37.68	6 - 6.3
400	x	15	47.10	6 - 6.3
400	x	20	62.80	6 - 6.3
400	x	25	78.50	6 - 6.3



Width (mm)		Thickness (mm)	Kg/m	Standard Length (mm)
40	x	12	3.16	6 - 6.3
50	x	12	4.21	6 - 6.3




HARRISSTEELS


Quality at any length



Hollow Sections		
Thickness (mm)	Kg/m	Standard bar length (m)
40 x 20 x 2.0	1.74	7.5 - 7.6
50 x 25 x 2.0	2.21	7.5 - 7.6
50 x 25 x 2.5	2.72	7.5 - 7.6
50 x 25 x 3.0	3.22	7.5 - 7.6
50 x 30 x 2.5	2.92	7.5 - 7.6
50 x 30 x 3.0	3.46	7.5 - 7.6
60 x 40 x 2.5	3.70	7.5 - 7.6
60 x 40 x 3.0	4.39	7.5 - 7.6
60 x 40 x 4.0	5.73	7.5 - 7.6
60 x 40 x 5.0	7.01	7.5 - 7.6
80 x 40 x 2.5	4.48	7.5 - 7.6
80 x 40 x 3.0	5.32	7.5 - 7.6
80 x 40 x 4.0	6.97	7.5 - 7.6
90 x 50 x 3.0	6.26	7.5 - 7.6
90 x 50 x 3.5	7.25	7.5 - 7.6
90 x 50 x 4.0	8.22	7.5 - 7.6
90 x 50 x 5.0	10.12	7.5 - 7.6
100 x 50 x 2.5	5.64	7.5 - 7.6
100 x 50 x 3.0	6.73	7.5 - 7.6
100 x 50 x 4.0	8.84	7.5 - 7.6
100 x 50 x 5.0	10.90	7.5 - 7.6
100 x 50 x 6.0	12.89	7.5 - 7.6
100 x 60 x 3.0	7.19	7.5 - 7.6
100 x 60 x 5.0	11.68	7.5 - 7.6
120 x 60 x 3.0	8.13	7.5 - 7.6
120 x 60 x 3.5	9.43	7.5 - 7.6
120 x 60 x 5.0	13.23	7.5 - 7.6
120 x 60 x 6.0	15.69	7.5 - 7.6
120 x 80 x 4.0	11.70	7.5 - 7.6
120 x 80 x 5.0	14.79	7.5 - 7.6
120 x 80 x 6.0	17.56	7.5 - 7.6
150 x 100 x 5.0	18.68	7.5 - 7.6
150 x 100 x 6.0	22.23	7.5 - 7.6
160 x 80 x 5.0	17.90	7.5 - 7.6
160 x 80 x 6.0	21.30	7.5 - 7.6
200 x 100 x 5.0	22.57	7.5 - 7.6
200 x 100 x 6.0	26.90	7.5 - 7.6



Hollow Sections



HARRISSTEELS

Quality at any length



Hollow Sections		
Thickness (mm)	Kg/m	Standard bar length (m)
21.3 x 2.5	1.16	7.5 - 7.6
21.3 x 3.0	1.35	7.5 - 7.6
26.9 x 2.5	1.50	7.5 - 7.6
26.9 x 3.0	1.77	7.5 - 7.6
33.7 x 2.5	1.92	7.5 - 7.6
33.7 x 3.0	2.27	7.5 - 7.6
33.7 x 4.0	2.93	7.5 - 7.6
42.4 x 2.5	2.46	7.5 - 7.6
42.4 x 3.0	2.91	7.5 - 7.6
42.4 x 4.0	3.79	7.5 - 7.6
48.3 x 2.5	2.82	7.5 - 7.6
48.3 x 3.0	3.35	7.5 - 7.6
48.3 x 4.0	4.37	7.5 - 7.6
60.3 x 3.0	4.24	7.5 - 7.6
60.3 x 4.0	5.55	7.5 - 7.6
76.1 x 3.0	5.41	7.5 - 7.6
76.1 x 4.0	7.11	7.5 - 7.6
76.1 x 5.0	8.77	7.5 - 7.6
88.9 x 3.0	6.36	7.5 - 7.6
88.9 x 4.0	8.38	7.5 - 7.6
88.9 x 5.0	10.35	7.5 - 7.6
114.3 x 3.0	8.23	7.5 - 7.6
114.3 x 3.5	9.56	7.5 - 7.6
114.3 x 5.0	13.48	7.5 - 7.6
114.3 x 6.0	16.03	7.5 - 7.6
139.7 x 5.0	16.61	7.5 - 7.6
168.3 x 5.0	20.14	7.5 - 7.6
168.3 x 6.0	24.02	7.5 - 7.6




Hollow Sections




HARRISSTEELS


Quality at any length



Round Sections		
Diameter (mm)	Kg/m	Standard bar length (m)
3	0.06	3 - 3.1
4	0.10	3 - 3.1
5	0.15	3 - 3.1
6	0.22	3 - 3.1 & 6 - 6.3
8	0.39	6 - 6.3
10	0.62	6 - 6.3
12	0.89	6 - 6.3
12.7	0.99	6 - 6.3
16	1.58	6 - 6.3
18	2.00	6 - 6.3
19	2.22	6 - 6.3
19.8	2.42	6 - 6.3
20	2.46	6 - 6.3
22	2.98	6 - 6.3
24	3.55	6 - 6.3
25	3.85	6 - 6.3
25.4	3.98	6 - 6.3
26	4.17	6 - 6.3
27	4.49	6 - 6.3
28	4.83	6 - 6.3
28.5	5.01	6 - 6.3
30	5.55	6 - 6.3
32	6.31	6 - 6.3
35	7.55	6 - 6.3
36	7.99	6 - 6.3
38	8.90	6 - 6.3
40	9.86	6 - 6.3
45	12.48	6 - 6.3
48	14.20	6 - 6.3
50	15.41	6 - 6.3
57	20.02	6 - 6.3
60	22.18	6 - 6.3
70	30.20	6 - 6.3
80	39.44	6 - 6.3
100	61.62	6 - 6.3



Rounds & Squares




HARRISSTEELS

Quality at any length



Square Sections		
Thickness (mm)	Kg/m	Standard bar length (m)
6	0.28	6 - 6.3
8	0.50	6 - 6.3
10	0.79	6 - 6.3
12	1.13	6 - 6.3
16	2.01	6 - 6.3
20	3.14	6 - 6.3
25	4.91	6 - 6.3
30	7.07	6 - 6.3
35	9.62	6 - 6.3
40	12.56	6 - 6.3
45	15.90	6 - 6.3
50	19.63	6 - 6.3
60	28.26	6 - 6.3
70	38.47	6 - 6.3
80	50.24	6 - 6.3
90	63.59	6 - 6.3
100	78.50	6 - 6.3



Rounds & Squares